

## Matting and Entrance Solutions

Specification sheet Issued: January 2023

## COLOUR SYMPHONY™ HD / Identity Logo

## Textile logo mats on 1.5mm backing for entrance flooring solutions

Product description	Tufted cut pile manufactured with twisted, and heat set BCF polyamide 6 Econyl PET fibres on nitrile rubber backing		
	Fire resistance	g Cfl-s1	
	Total thickness	10 mm	
	Total Weight	2700 g/m <sup>2</sup>	
	Total Recycled Content	36 % to 44%	
	Total Recycled Content	30 % to 44%	
Yarn	Composition	100% Polyamide 6 Econyl PET regenerated BCF, twisted andheat set multifilament's	
Primary Backing	Composition and construction	Polyester nonwoven	
Pile	Construction	Cut pile	
	Tuft method	Straight tufted	
	Pile height	8.0mm	
	Total fabric density	900 g/m <sup>2</sup>	
	-		
Textile Colour Fastness	Dyeing Method	High-definition digital dye injection technology	
	Light	8 (maximum mark)	(ISO 105-B01)
	Rubbing	4-5	(ISO 105-X12)
	Water	5	(ISO 105-E01)
	Seawater	4-5	(ISO 105-E02)
	Shampoo	4-5	(BS 18168)
	Organic Solvents	4-5	(ISO 105-D02)
Secondary Backing	Composition	100% Nitrile Rubber	
	Backing thickness	1.3mm	
	Border thickness	2.6mm	
	Border width	20mm	
	Phthalates	NO Ortho-phthalates in the rubber	
	Recycle rubber	17-34% of rubber content is from post-industrial pre- consumer recycled rubber	
		4012	460 40045
Performance Testing	Antistatic Behaviour	Approx 10 <sup>13</sup> ohms	(ISO 10965)
	Personal Charging	<2kV (antistatic)	(ISO 6356)
	Flammability	Cfl-s1	(EN ISO 13501)
	Slip Resistance	0.57 DS	(EN 13893)
ISO Manufacturing Certification		ISO 9001	
ISO Environmental Certification		ISO 14001	
Origin		UK	
Warranty		Please refer to our written warranty	
Available logo mats standard sizes (cm)		75x85, 85x120, 85x150, 85x250, 85x300, 115x180, 115x200, 115x240, 115x250, 115x300, 150x250, 150x300	

Please Note: As each customer's use of our product may be different, information we provide, including without limitation, recommendations, test results, samples, care/ labelling /processing instructions or marketing advice, is provided in good faith but without warranty and without accepting any responsibility/liability. Each customer must test and be responsible for its own specific use, further processing, labelling, marketing, etc.